



Amendments to the Claims:

Claims 1-15 (Cancelled)

16. (New) A refuse/oil removing device for use in a grease trap into which drainage discharged from restaurant is introduced through a drain passage, and for detachably attaching a recovery bag comprised by securing a bag portion and a base portion formed of a material having rigidity, comprising:

support means for supporting said bag portion at a position higher than the level of water accumulated in said grease trap,

engaging means engaging with said base portion of said recovery bag, said engaging means provided with said support means or a body of said grease trap,

a movable member displaceable relative to said support means or said body of said grease trap, said movable member displacing said engaging means,

whereby said recovery bag is spaced away from said drain passage at one movement end of said movable member, while at an opposite movement end of said movable member a front end of said drain passage is positioned inside said bag portions of said recovery bag.

17. (New) A refuse/oil removing device according to claim 16, wherein a drainage introducing hole for introducing the drainage from said drain passage to the interior of said bag portion is formed in said base portion, and an outlet to said grease trap side in said drain passage is formed by a pipe, said pipe being inserted into said drainage introducing hole at an opposite movement end of said movable member.

18. (New) A refuse/oil removing device according to claim 17, wherein said bag portion is formed as plural layers.

19. **(New)** A refuse/oil removing device according to claim 16, wherein a grasping hole is formed in said base portion.

20. **(New)** A refuse/oil removing device according to claim 19, wherein said bag portion is formed as plural layers.

21. **(New)** A refuse/oil removing device according to claim 16, wherein said bag portion is formed by a net.

22. **(New)** A refuse/oil removing device according to claim 21, wherein the material of said net is synthetic resin or synthetic fiber.

23. **(New)** A refuse/oil removing device according to claim 22, wherein said bag portion is formed as plural layers.

24. **(New)** A refuse/oil removing device according to claim 16, wherein the size of each of said water passing holes is 1 to 5 mm.

25. **(New)** A refuse/oil removing device according to claim 24, wherein said bag portion is formed as plural layers.

26. **(New)** A refuse/oil removing device according to claim 16, wherein said bag portion is formed as plural layers.

27. **(New)** A refuse/oil removing device according to claim 26, wherein said plural layers are three layers.

28. **(New)** A refuse/oil recovery bag for the recovery of refuse and oil contained in drainage introduced to a grease trap, comprising:

a base portion having rigidity and formed with a drainage introducing hole, said base portion being engaged with engaging means provided with said grease trap or a device provided with said grease trap,

a bag portion having a multitude of water passing holes, said bag portion fixed to said base portion in a state in which said hole of said base portion is covered along its circumference with an opening of said bag portion, and

it is replaced itself after it is used.

29. **(New)** A refuse/oil recovery bag according to claim 28, wherein a grasping hole is formed in said base portion.

30. **(New)** A refuse/oil recovery bag according to claim 29, wherein said bag portion is formed as plural layers.

31. **(New)** A refuse/oil recovery bag according to claim 28, wherein said bag portion is formed by a net.

32. **(New)** A refuse/oil recovery bag according to claim 31, wherein the material of said net is synthetic resin or synthetic fiber.

34. **(New)** A refuse/oil recovery bag according to claim 28, wherein the size of each of said water passing holes is 1 to 5 mm.

35. **(New)** A refuse/oil recovery bag according to claim 34, wherein said bag portion is formed as plural layers.

36. **(New)** A refuse/oil recovery bag according to claim 28, wherein said bag portion is formed as plural layers.

37. **(New)** A refuse/oil recovery bag according to claim 36, wherein said plural layers are three layers.